

**TENDER FORMATE FOR
PROPOSED CFC FOR WEAVING & READYMADE GARMENT
CLUSTER, MORAN**

**PROPOSED CFC FOR READIMATE GARMENT PLASTER, MORAN
OF BEENEEZ (A SOCIAL DEVELOPMENT SOCIETY) UNDER
SFURTI**

Sl. No.	Item no	Description	Unit	Qtyn.	Rate	Amount (In Rs.)	
1	1.1	EARTHWORK IN EXCAVATION	Cum	35.00			
		Earthwork in excavation for foundation trenches of walls, retaining walls, footings of column, steps, septic tank etc. including refilling (return filling) the quantity as necessary after completion of work, breaking clods in return filling, dressing, watering and ramming etc. and removal of surplus earth with all lead and lifts as directed and specified in the following classification of soils including bailing out water where necessary as directed and specified.					
		(A) Up to a depth of 2.00m below the existing ground level.					
		(b) In hard/ dense soil					
2	4.1.1	Providing soling in foundation and under floor with stone/ best quality picked jhama brick, sand packed and laid to level and in panel after preparing the subgrade as directed including all labour and materials and if necessary dewatering, complete.	Sqm	35.64			
		(a) Brick on flat soling.					

3	2.1	PLAIN CEMENT CONCRETE WORKS	cum	2.67			
	2.1.1	Plain cement concrete works with coarse aggregate of sizes 13mm to 32mm in foundation bed for footing steps, walls, brick works etc. as directed and specified including dewatering if necessary, and curing complete (shuttering where necessary shall be measured and paid separately).					
		(a) In prop 1cement: 3 sand :6 coarse aggregate by volume					
4	18.1	REINFORCEMENT	Qtl	89.6 0			
	18.1.1	Supplying, fitting and fixing in position reinforcement bars conforming to relevant I.S. Code for R.C.C. work/ R.B. walling including straightening, cleaning, cutting and bending to proper shapes and length as per details, supplying and binding with 20G annealed black wire and placing in position with proper blocks, supports, chairs, spacers etc. complete. (No extra measurement for lap, hook, chair, anchor etc. will be entertained in the measurement as they are included in the rate) (Upto 1st floor level)					
		a) From Primary Producer: TATA/SAIL/Essex Steel/ Jindal steel/Shyam steel/RINL (i) TMT Corrosion resistant steel (CRS) reinforcement bar					
5	2.1	PLAIN CEMENT CONCRETE WORKS	cum	56.00			
	2.1.1	Plain cement concrete works with coarse aggregate of sizes 13mm to 32mm in foundation bed for footing steps, walls, brick works etc. as directed and specified including dewatering if necessary, and curing complete (shuttering where necessary shall be					

		measured and paid separately).				
6	4.1.12	(a) In prop 1cement: 3 sand :6 coarse aggregate by volume				
		1st class brick nogged wall in lime mortar in prop. 1 lime : 2 fine sand including racking out joints and curing etc complete as directed (protruding M.S rod/Tor steel of column to be embedded in cement mortar and will be measured and paid separately) in super structure up to 1st floor level.	Sqm	200.0 0		
		a) 112mm thick brick wall				
7	6.2	CEMENT PLASTERING				
	6.2.1	10 mm thick Cement plaster in single coat on fair side of brick/concrete walls for interior plastering up to 1st floor level including arises or rounded angles not exceeding 80mm girth and finished even and smooth including curing complete as directed.	Sqm	160.0 0		
		b) In cement mortar 1:4				
8	13.2.3	CEMENT PAINT & PRIMER				
		a) Applying one coat of cement primer of approved brand and manufacture on new wall surface after throughly brooming the surfaces free from mortar droppings and other foreign matter and including preparing the surface even and sand papered smooth.	Sqm	160. 00		
9	13.7.5	Painting one coat (excluding priming coat) on previously painted steel and other metal surface with enamel paint of approved brand and manufacture(Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac) to give an even shade including cleaning the surface of all dirt, dust and other foreign matter.	Sqm	160. 00		

		(i).Surfaces over 100mm in width or girth.				
		a) General purpose (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac).				
10	5.1.4	65 mm thick cement concrete floor consisting of 50 mm under layer of cement concrete in prop. 1:3:6 (1cement : 3 coarse sand : 6 coarse aggregate of 25mm and down) and 15 mm thick wearing layer in cement concrete in prop. 1:1:2 (1cement :1 coarse sand : 2 coarse aggregate of size 10mm down) laid in panels and finished with a floating coat of neat cement finish (using cement slurry for bond @ 2.75 kg. per square metre of floor area) including curing etc. complete as directed.	Sq.m	135		
	18.5	WINDOWS / VENTILATORS				
11	18.5.1	Providing, fitting and fixing steel windows/ ventilators (openable) of standard rolled steel sections as per relevant I.S. Code-1038 joints mitred and welded with 15mmx3mmx100mm lugs embedded in cement concrete block of M-10 grade including providing and fixing of projecting hinges (not more than 65mm and not less than 15mm wide) bolting device and steel handles, peg stays of 300mm long etc. complete as per drawing including applying a priming coat of red-lead paint.	Sqm	32.0 0		

	16	GLASS FITTING					
12	16.1	Providing and fixing clear sheet glass bedded in putty and fixed with/without wooden bidding including necessary cutting and glass to be required sized(payment for wooden bead shall be made separately)	Sqm	25.0 0			
		(1). Area of glass panes not exceeding 0.15m2					
		(c). 3.00mm thick.					
	9.10	VENEERED PARTICLE BOARD DOOR SHUTTERS					
13	9.10. 1	Providing, fitting and fixing factory made exterior type fully panelled single leaf door shutters of approved brand conforming to relevent I.S code having kiln seasoned and vacuum pressure treated Hollock / Bonsum / Sundi rail and styles with pannel of Anchor brand 12mm thick veneered Teak wood particle board bonded with phenol - formaldehyde synthetic resin adhesive conforming to relevent I.S code including 4 nos of oxidised iron butt hinges (100mm x75 mm x3.55mm) to each leaf complete.	Sq.m.	2.53			
		(i) 40mm thick					

Sl. No.	Type of Document	Please Tick
1	The forwarding letter of the tender	YES NO
2	Technical bid document*	YES NO
3	Supporting for technical bid	YES NO
4	Financial Bid document*	YES NO
5	Certificate of registration/proof of ownership along address*	YES NO
6	Copy of pan card *	YES NO
7	GST Registration certificate *	YES NO
8	Income tax certificates	YES NO
9	Undertaking that the firm is not blacklisted by any Government/Private Organization	YES NO
10	Undertaking that the firm has no pending vigilance/CBI case;	YES NO
11	Certificate that the firm is not supplying the same item at lower rates quoted in the tender to any government institution during the past one year, as per fall clause adhered by DGS&D and other government organization.	YES NO

* Compulsory

(Signature)

Date

Official Seal